

Notice of Allowability	Application No.	Applicant(s)	
	10/707,409	GILMORE ET AL.	
	Examiner	Art Unit	
	Mark A. Deuble	3651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment of 5/3/06.
2. ☒ The allowed claim(s) is/are 3-8, 10, 12-17, 22-27, 60 and 61.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Frederick S. Burkhardt on May 5, 2006.

The application has been amended as follows:

IN THE CLAIMS

Claim 4, line 11, replace the phrase "said control at least partially extending" with the phrase --said control being operable to partially extend--.

Claim 4, line 14, replace the phrase "said control at least partially retracting" with the phrase --said control being operable to partially retract--.

Claim 4, line 18, replace the phrase "said conveyor belt conveying" with the phrase --said conveyor belt being operable to convey--.

Claim 13, line 2, replace the phrase "device providing" with the phrase --device for providing--.

Claim 14, line 10, replace the phrase "said cylinder brake applying" with the phrase --said cylinder brake being operable to apply--.

Claim 14, line 14, replace the phrase "said control at least partially extending" with the phrase --said control being operable to partially extend--.

Art Unit: 3651

Claim 14, line 16, replace the phrase "said control at least partially retracting" with the phrase --said control being operable to partially retract--.

Claim 14, line 19, replace the phrase "said conveyor belt conveying" with the phrase --said conveyor belt being operable to convey--.

Claim 23, lines 2-3, replace the phrase "input device to selectively cause" with the phrase --input device for selectively causing--.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark A. Deuble whose telephone number is (571) 272-6912. The examiner can normally be reached on Monday through Friday except for alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene O. Crawford can be reached on (571) 272-6911. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

md


EILEEN D. LILLIS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600